



BioWorks®

..... phone: (888) 335-9044

..... email: cannabis@bioworksinc.com

..... www.bioworkscannabis.com

BotryStop™

BotryStop is an OMRI listed biological fungicide developed specifically for the control of pathogens such as *Botrytis cinerea*, *Sclerotinia sclerotiorum* and *Monilinia* spp.

Active Ingredient: *Ulocladium oudemansii* (U3 strain)



FOR TECHNICAL ASSISTANCE CALL (888) 335-9044

If you are a professional grower and have a question, or if you just want to discuss a particular issue, **contact us.**

Our team is ready to discuss your crop-specific issues or any questions you have about our products. We will provide you with rapid, comprehensive and personalized support.

SAFE. PROVEN. EFFECTIVE.

For 25 years BioWorks has been helping customers in the horticulture and specialty agriculture markets to develop effective and efficient programs using products that are safe, proven and effective.

We are continuously reinventing the way our customers work by providing biologically based, integrated, safe solutions and programs.

NEW TECHNOLOGY

BioWorks is proud to introduce BotryStop to the U.S. With strong data on commercial agriculture crops, BotryStop fits into the safe, proven and effective product portfolio.



OMRI LISTED

BotryStop is ideal for organic and conventional IPM programs, alike. It is an excellent tool for resistance management and is exempt from residue tolerances.



CONTROLS BOTRYTIS

BotryStop acts as a biological control agent by competing for the same ecological niche as plant pathogens. It is also a true antagonist that aggressively out-competes pathogens for the nutrients in dead and senescing plant tissue.



AN ORGANIC BIOFUNGICIDE DEVELOPED SPECIFICALLY FOR THE CONTROL OF BOTRYTIS



PRODUCT INFORMATION

- *Ulocladium oudemansii* (U3 Strian)
- Available Sizes: 12 lb
- Registered for use in the USA except AK & HI

REI & PHI

- 4-hour REI, 0-day PHI

SHELF LIFE

Below 32 °F: Do NOT freeze
Refrigeration 40 °F: 12 months
70° - 75 °F: 7 days
Above 75 °F: Viability decreases dramatically, do not store outdoors.



APPLICATION RATES

FOLIAR SPRAY

- Ensure a fine droplet size, such as a mist
- Foliar spray to wet
- Maintain continuous agitation during mixing application
- Do not allow spray mixture to stand overnight or for prolonged periods
- Apply to plants weekly until ~ 2 - 3 weeks prior to harvest
- Addition of a surfactant listed on the BotryStop compatibility sheet is recommended

RATES

Rate per acre: 3 lb (At least 50 gal water per acre)
Rate per 1 gal: 1 tbsp + 2 tsp



APPLICATION SCHEDULE

FOLIAR SPRAY

- Begin application when disease pressure is anticipated
- Continue applications at a 7-day interval as needed

FOR TECHNICAL ASSISTANCE CALL (888) 335-9044